




# PE HD (Polyetylen)

 <b>PE HD</b> Kvalitet: Ekstrudert Farge: Sort Egenvekt: 0,95 g/cm <sup>3</sup> <u>Plate</u>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	NRF nr.	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm		ca. kg/stk	NOK/kg	
	1,0	+/- 0,11	2000	1000	5820009	1,9	107	354040
	2,0	+/- 0,14	2000	1000	5820011	3,8	68	354041
	3,0	+/- 0,17	2000	1000	5820012	5,7	68	354048
	3,0	+/- 0,17	3000	1500	5820013	13,0	68	354069
	4,0	+/- 0,20	2000	1000	5820014	7,7	68	354044
	4,0	+/- 0,20	3000	1500	5820015	17,3	68	354070
	5,0	+/- 0,23	2000	1000	5820016	9,6	68	354050
	5,0	+/- 0,23	3000	1500	5820017	21,6	68	354071
	6,0	+/- 0,26	2000	1000	5820018	11,6	68	354046
	6,0	+/- 0,26	3000	1500	5820019	25,9	68	354072

Tabell 1,1

 <b>PE HD</b> Kvalitet: Ekstrudert Farge: Natur Egenvekt: 0,95 g/cm <sup>3</sup> <u>Plate</u>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	1,0	+/- 0,11	2000	1000	1,9	109	354097
	2,0	+/- 0,14	2000	1000	3,8	68	354098
	2,0	+/- 0,14	3000	1500	8,6	68	354656
	3,0	+/- 0,17	2000	1000	5,7	68	354099
	3,0	+/- 0,17	3000	1500	13,0	68	354104
	4,0	+/- 0,20	2000	1000	7,7	68	354100
	4,0	+/- 0,20	3000	1500	17,0	68	104608
	5,0	+/- 0,23	2000	1000	9,6	68	354102
	5,0	+/- 0,23	3000	1500	21,6	68	354106

Tabell 1,2

 <b>PE HD</b> Kvalitet: Ekstrudert Farge: Sort Egenvekt: 0,94 g/cm <sup>3</sup> <u>Bolt</u>	Utvendig diameter	Toleranse diameter	Ca. lengde	Teorivekt	Pris	Varenr.
	mm	mm	mm	ca. kg/stk	NOK/kg	
	Ø10	+0,6/+0,1	2000	0,2	175	108374
	Ø15	+0,8/+0,2	2000	0,4	175	108376
	Ø20	+1,0/+0,2	2000	0,7	175	108382
	Ø25	+1,1/+0,2	2000	1,0	175	108389
	Ø30	+1,2/+0,2	2000	1,4	131	105973
	Ø35	+1,3/+0,2	2000	2,0	131	108396
	Ø40	+1,5/+0,2	2000	2,6	131	108407
	Ø50	+2,0/+0,3	2000	4,0	131	108411
	Ø60	+2,3/+0,3	2000	5,8	131	108413
	Ø70	+2,5/+0,3	2000	7,8	131	108415
	Ø80	+3,0/+0,4	2000	10,2	131	108418
	Ø90	+3,4/+0,5	2000	12,9	131	108420
	Ø100	+3,8/+0,6	2000	15,9	131	108443
	Ø120	+4,6/+0,8	2000	21,7	131	105985
	Ø125	+4,6/+0,8	2000	24,8	131	105986
	Ø150	+5,8/+1,0	1000	17,9	131	108489
	Ø160	+6,3/+1,1	1000	20,4	131	105988
	Ø200	+8,5/+1,3	1000	32,2	131	108493
	Ø250	+9,0/+1,3	1000	50,0	131	108498
	Ø300	+10,0/+1,3	1000	70,4	131	105992

Tabell 2,1


**PE HD**Bolt

Kvalitet: Ekstrudert  
 Farge: Natur  
 Egenvekt: 0,95 g/cm<sup>3</sup>

Utvendig diameter	Toleranse diameter	Ca. lengde	Teorivekt	Pris	Varenr.
mm	mm	mm	ca. kg/stk	NOK/kg	
Ø10	+0,6/+0,1	2000	0,2	175	164632
Ø15	+0,8/+0,2	2000	0,4	175	161770
Ø20	+1,0/+0,2	2000	0,7	175	164656
Ø25	+1,1/+0,2	2000	1,0	175	164659
Ø30	+1,2/+0,2	2000	1,4	131	190072
Ø35	+1,3/+0,2	2000	2,0	131	164660
Ø40	+1,5/+0,2	2000	2,6	131	191463
Ø50	+2,0/+0,3	2000	3,9	131	164664
Ø60	+2,3/+0,3	2000	5,8	131	164666
Ø70	+2,5/+0,3	2000	7,8	131	164667
Ø80	+3,0/+0,4	2000	10,2	131	164668
Ø100	+3,8/+0,6	2000	16,0	131	164641
Ø125	+4,6/+0,8	2000	24,8	131	108822
Ø150	+5,8/+1,0	1000	17,6	131	108824
Ø160	+6,3/+1,1	1000	20,3	131	164650
Ø200	+8,5/+1,3	1000	32,2	131	108366
Ø250	+9,0/+1,3	1000	50,0	131	190368
Ø350	+12,0/+1,3	1000	96,5	131	194965


Tabell 2.2

# PE 100 (Polyetylen)

	PE 100		Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	NRF nr.	Teorivekt	Pris	Varenr.
	Plate		mm	mm	mm	mm		ca. kg/stk	NOK/kg	
	Kvalitet:	Ekstrudert	2,0	+/- 0,14	3000	1500	5820021	8,6	68	354068
	Farge:	Sort	8,0	+/- 0,32	2000	1000	5820022	15,4	68	351868
	Egenvekt:	0,94 g/cm <sup>3</sup>	8,0	+/- 0,32	3000	1500	5820023	34,6	68	351873
			8,0*	+/- 0,32	4000	2000	5820024	61,4	68	348270
			10,0	+/- 0,38	2000	1000	5820025	19,2	68	347862
			10,0	+/- 0,38	3000	1500	5820026	43,2	68	348949
			10,0	+/- 0,38	4000	2000	5820027	76,8	68	351876
			12,0	+/- 0,44	2000	1000	5820028	23,0	68	351871
			12,0	+/- 0,44	3000	1500	5820029	51,8	68	351874
			12,0*	+/- 0,44	4000	2000	5820031	92,2	68	351878
			15,0	+/- 0,53	2000	1000	5820032	30,6	68	346818
			15,0	+/- 0,53	3000	1500	5820033	64,8	68	348266
			15,0	+/- 0,53	4000	2000	5820034	115,2	68	351879
			20,0	+/- 0,68	2000	1000	5820035	38,4	68	347863
			20,0	+/- 0,68	3000	1500	5820036	86,4	68	346816
			20,0	+/- 0,68	4000	2000	5820037	153,6	68	351881
			25,0	+/- 0,83	2000	1000	5820038	48,0	68	346431
			25,0	+/- 0,83	3000	1500	5820039	108,0	68	351875
			25,0*	+/- 0,83	4000	2000	5820041	192,0	68	341532
			30,0	+/- 0,98	2000	1000	5820042	57,6	68	347864
			30,0	+/- 0,98	3000	1500	5820043	129,6	68	346438
			30,0	+/- 0,98	4000	2000	5820044	230,4	68	116961
			35,0	+/- 1,13	2000	1000	5820045	67,2	76	351066
			40,0	+/- 1,28	2000	1000	5820046	76,8	76	348926
			40,0	+/- 1,28	3000	1500	5820047	172,8	76	350833
			40,0	+/- 1,28	4000	2000	5820048	307,2	76	354626
			50,0	+/- 1,58	2000	1000	5820049	96,0	90	350643


\*Lagerføres ikke i Norge. Leveres fra fabrikk. Vi kan også tilby andre dimensjoner fra fabrikk.


Tabell 1.1


	PE 100		Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	Plate		mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	Kvalitet:	Ekstrudert	6,0	+/- 0,26	2000	1000	11,6	68	352644
	Farge:	Natur	6,0*	+/- 0,26	3000	1500	25,9	68	354618
	Egenvekt:	0,94 g/cm <sup>3</sup>	8,0	+/- 0,32	2000	1000	15,4	68	354614
			8,0	+/- 0,32	3000	1500	34,6	68	350089
			10,0	+/- 0,38	2000	1000	19,2	68	348518
			10,0	+/- 0,38	3000	1500	43,2	68	351416
			10,0*	+/- 0,38	4000	2000	76,8	68	354621
			12,0*	+/- 0,44	2000	1000	23,0	68	354616
			12,0	+/- 0,44	3000	1500	51,8	68	354620
			15,0	+/- 0,53	2000	1000	28,8	68	354139
			15,0	+/- 0,53	3000	1500	64,8	68	349780
			15,0*	+/- 0,53	4000	2000	115,2	68	354622
			20,0	+/- 0,68	2000	1000	38,4	68	347952
			20,0	+/- 0,68	3000	1500	86,4	68	348269
			20,0*	+/- 0,68	4000	2000	153,6	68	348520
			25,0*	+/- 0,83	2000	1000	48,0	68	114743
			25,0	+/- 0,83	3000	1500	108,0	68	347861
			30,0*	+/- 0,98	2000	1000	57,6	68	351344
			30,0	+/- 0,98	3000	1500	129,6	68	348519


\*Lagerføres ikke i Norge. Leveres fra fabrikk. Vi kan også tilby andre dimensjoner fra fabrikk.

Tabell 1.2


 <b>PE 100</b> Kvalitet: Presset, høvlet Farge: Sort Egenvekt: 0,96 g/cm <sup>3</sup> Plate Tabell 1,3	<b>Tykkelse</b>	<b>Toleranse tykkelse</b>	<b>Ca. lengde</b>	<b>Ca. bredde</b>	<b>Teorivekt</b>	<b>Pris</b>	<b>Varenr.</b>
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	60,0	+8,0/0	2000	1000	115,2	118	351882
	80,0	+8,0/0	2000	1000	153,6	123	347647
	100,0	+10,0/0	2000	1000	192,0	123	350640
	120,0	+ 12,0/0	2000	1000	228,0	129	349773


 <b>PE 100</b> Kvalitet: Ekstrudert Farge: Grå (Tilnærmet RAL 7035) Egenvekt: 0,96 g/cm <sup>3</sup> Plate Tabell 1,4	<b>Tykkelse</b>	<b>Toleranse tykkelse</b>	<b>Ca. lengde</b>	<b>Ca. bredde</b>	<b>Teorivekt</b>	<b>Pris</b>	<b>Varenr.</b>
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	4,0	+/- 0,23	4000	2000	31,4	87	369552
	10,0	+/- 0,38	4000	2000	76,8	87	376142
	20,0	+/- 0,68	2000	1000	39,4	87	367943
	20,0	+/- 0,68	4000	2000	153,6	87	364966
	30,0	+/- 0,68	3000	1000	86,4	87	368031


 <b>PE 100</b> Kvalitet: Ekstrudert Farge: Sort Egenvekt: 0,94 g/cm <sup>3</sup> Bolt Tabell 2,1	<b>Utvendig diameter</b>	<b>Toleranse diameter</b>	<b>Ca. lengde</b>	<b>Teorivekt</b>	<b>Pris</b>	<b>Varenr.</b>
	mm	mm	mm	ca. kg/stk	NOK/kg	
	Ø400	+12,0/+1,3	1000	123,0	129	105993
	Ø500	+12,0/+1,3	1000	197,0	184	325213
	Ø600	+20,0/+1,3	1000	270,0	215	300493

 <b>PE 100</b> Kvalitet: Ekstrudert Farge: Egendefinert Egenvekt: 0,94 g/cm <sup>3</sup> Sveisetråd Tabell 4,1	<b>Diameter</b>	<b>Toleranse diameter</b>	<b>Form</b>	<b>Farge</b>	<b>Pris</b>	<b>Varenr.</b>
	mm	mm	kg/rull		NOK/kg	
	Ø 3	+0,2/-0,3	Ca. 2	Sort	185	371061
	Ø 3	+0,2/-0,3	Ca. 2	Natur	185	113667
	Ø 4	0/-0,5	Ca. 2	Sort	185	327558
	Ø 4	+0,2/-0,3	Ca. 10	Sort	185	133600
	Ø 4	0/-0,5	Ca. 2	Natur	185	326321
	Ø 4	+0,2/-0,3	Ca. 2	Lys grå	198	161424
	Ø 5	+0,3/-0,3	Ca. 2	Sort	185	370150


# PE 500 (Polyetylen)

 <p><b>PE 500</b></p> <p>Kvalitet: Ekstrudert                  Farge: Natur                  Egenvekt: 0,95 g/cm<sup>3</sup></p> <p>Plate</p> <p>Tabell 1,1</p>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	3,0	+/- 0,14	2000	1000	5,7	113	109721
	4,0	+/- 0,17	2000	1000	7,6	113	109726
	5,0	+/- 0,20	2000	1000	9,5	113	109731
	6,0	+/- 0,23	2000	1000	11,7	113	109733
8,0	+/- 0,26	2000	1000	15,2	113	109735	


 <p><b>PE 500</b></p> <p>Kvalitet: Presset, høvlet                  Farge: Natur                  Egenvekt: 0,95 g/cm<sup>3</sup></p> <p>Plate</p> <p>Tabell 1,2</p>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	10,0	+/- 0,2	2020	1010	20,6	112	161255
	10,0	+0,4/0	3050	1220	35,0	112	156670
	10,0	+0,4/0	3050	1330	41,4	112	130023
	12,0	+/- 0,2	2020	1010	24,7	112	109747
	12,0	+0,4/0	3050	1330	46,7	112	117024
	15,0	+/- 0,2	2020	1010	30,9	84	109427
	20,0	+/- 0,2	2020	1010	41,2	84	104699
	20,0	+0,4/0	3050	1220	75,2	84	115276
	20,0	+0,4/0	3050	1330	81,0	84	130025
	25,0	+/- 0,2	2020	1010	51,4	84	109762
	25,0	+0,4/0	3050	1220	83,7	84	116861
	25,0	+0,4/0	3050	1330	102,4	84	128692
	30,0	+/- 0,2	2020	1010	61,7	84	104701
	30,0	+0,4/0	3050	1220	112,0	84	195477
	30,0	+0,4/0	3050	1330	122,6	84	328400
40,0	+/- 0,2	2020	1010	82,3	84	104702	
50,0	+/- 0,2	2020	1010	102,8	84	104703	
60,0	+/- 0,2	2020	1010	117,5	84	326919	
80,0	+/- 0,3	2020	1010	164,6	84	109777	
100,0	+/- 0,3	2000	1010	185,2	98	109779	

 <p><b>PE 500</b></p> <p>Kvalitet: Presset, høvlet                  Farge: Sort                  Egenvekt: 0,95 g/cm<sup>3</sup></p> <p>Plate</p> <p>Tabell 1,3</p>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
	15,0	+0,4/0	3050	1330	60,8	113	130028
	20,0	+0,4/0	3050	1330	81,9	113	130029
	25,0	+0,4/0	3050	1330	96,3	113	130030
80,0	+/- 0,3	2020	1010	164,6	113	135140	


# PE 1000 (Polyetylen)

 <b>PE 1000 Tivar</b>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
Kvalitet: Presset, spaltet Plate Farge: Natur Egenvekt: 0,94 g/cm <sup>3</sup>	2,0	+/- 0,2	2000	1000	3,8	222	110248
	3,0	+/- 0,2	2000	1000	5,8	222	110268
	4,0	+/- 0,2	2000	1000	7,8	222	110271
	5,0	+/- 0,2	2000	1000	9,7	179	110276
	6,0	+/- 0,3	2000	1000	11,9	179	110277
	6,0	+/- 0,3	3000	1220	20,3	179	156650
	8,0	+/- 0,3	2000	1000	16,0	179	112063


Tabell 1.1

 <b>PE 1000 Tivar</b>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
Kvalitet: Presset, høvlet Plate Farge: Natur Egenvekt: 0,94 g/cm <sup>3</sup>	10,0	+0,4/0	2020	1010	20,0	100	109609
	10,0	+0,4/0	3050	1220	35,9	100	159125
	12,0	+0,4/0	2020	1010	23,0	100	109793
	12,0	+0,4/0	3050	1220	44,3	100	347877
	15,0	+/- 0,2	2020	1010	30,1	100	109622
	20,0	+/- 0,2	2020	1010	40,1	100	109797
	20,0	+0,4/0	3050	1220	73,3	100	117770
	25,0	+/- 0,2	2020	1010	50,1	100	109827
	30,0	+/- 0,2	2020	1010	60,1	100	109832
	35,0	+/- 0,2	2020	1010	70,1	100	326927
	40,0	+/- 0,2	2020	1010	80,2	100	109848
	50,0	+/- 0,2	2020	1010	100,2	100	109948
	60,0	+/- 0,2	2020	1010	120,2	100	109953
	80,0	+/- 0,3	2020	1010	160,3	100	110232
100,0	+/- 0,3	2020	1010	200,4	116	110235	

Tabell 1.2

 <b>PE 1000 Tivar (Antistatisk)</b>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
Kvalitet: Presset, spaltet Plate Farge: Sort Egenvekt: 0,95 g/cm <sup>3</sup>	6,0	+/- 0,3	2000	1000	11,7	163	326933
	8,0	+/- 0,2	2000	1000	15,3	163	110337
	10,0	+/- 0,2	2020	1010	20,4	128	110343
	10,0	+/- 0,2	3050	1330	38,2	128	130032
	15,0	+/- 0,2	3050	1330	57,2	128	130033
	20,0	+/- 0,2	2000	1000	40,0	114	326934
	20,0	+/- 0,2	3050	1330	79,8	114	130034
	25,0	+/- 0,2	3050	1330	95,3	114	130035

Tabell 1.3

 <b>PE 1000 Tivar ECO (Regenerert/Antistatisk)</b>	Tykkelse	Toleranse tykkelse	Ca. lengde	Ca. bredde	Teorivekt	Pris	Varenr.
	mm	mm	mm	mm	ca. kg/stk	NOK/kg	
Kvalitet: Presset, høvlet Plate Farge: Sort Egenvekt: 0,95 g/cm <sup>3</sup>	10,0	+0,4/0	3050	1330	40,3	132	130032
	12,0	+0,4/0	3050	1220	41,5	108	156603
	15,0	+0,4/0	2000	1000	28,5	101	118399
	15,0	+0,4/0	3050	1220	51,9	101	128554
	20,0	+0,4/0	3050	1220	69,5	88	152667
	25,0	+0,4/0	3050	1220	89,3	88	156428
	30,0	+0,4/0	3050	1220	103,8	88	156604
	35,0	+0,4/0	3050	1220	129,7	88	155991
	50,0	+0,4/0	3050	1220	173,0	88	156606
	60,0	+0,4/0	3050	1220	207,6	88	156608
	70,0	+0,4/0	3050	1220	242,2	88	156609

Tabell 1.4

**PE 1000 Tivar**Bolt

Kvalitet: Ekstrudert  
 Farge: Natur  
 Egenvekt: 0,94 g/cm<sup>3</sup>

Utvendig diameter	Toleranse diameter	Ca. lengde	Teorivekt	Pris	Varenr.
mm	mm	mm	ca. kg/stk	NOK/kg	
Ø20	+1,0/+0,2	2000	0,6	341	108568
Ø25	+1,1/+0,2	2000	1,0	107	108569
Ø30	+1,2/+0,2	2000	1,4	107	111893
Ø40	+1,5/+0,2	2000	2,6	107	108571
Ø50	+2,0/+0,3	2000	3,9	107	108572
Ø60	+2,3/+0,3	2000	5,8	107	108573
Ø70	+2,5/+0,3	2000	7,7	107	108574
Ø80	+3,0/+0,4	2000	10,1	107	108575
Ø90	+3,4/+0,5	2000	12,0	107	108577
Ø100	+3,8/+0,6	2000	16,0	107	108578
Ø120	+4,6/+0,8	1000	11,7	107	196687
Ø125	+4,6/+0,8	2000	24,8	107	108580
Ø130	+5,4/+0,9	1000	13,0	107	107356
Ø150	+5,8/+1,0	1000	18,2	107	108582
Ø180	+7,4/+1,2	1000	26,2	107	107357
Ø200	+8,5/+1,3	1000	32,2	107	120139

Tabell 2.1